

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"6889226".pn. and (computer OR medium OR program OR software or disk or ram or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/11 09:34
L3	0	"707"". ""104".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/11 10:22
L4	0	707/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/11 10:22
L5	5420	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/11 10:23
S1	57	encod\$3 and (local adj identifier\$1)and prefix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 07:59
S2	12	encod\$3 and (node adj identifier\$1)and prefix and logical and tree and binary and string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:41
S3	2	(base adj length)and encod\$3 and (local adj identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:51
S4	0	(initial adj length)and encod\$3 and (local adj identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:51

EAST Search History

S5	0	(initial adj length)and encod\$3 and (node adj identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:52
S6	6	(initial adj length)and encod\$3 and node and identifier\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:55
S7	7385	root and encod\$3 and local and identifier\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:56
S8	179	S7 and (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:56
S9	0	S8 and (local wih identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:57
S10	14	S8 and (local with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:58
S11	234	(logical adj2 tree) and root and zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:59
S12	34	S11 and (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:59

EAST Search History

S13	334	(logical adj2 tree).and root and (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 08:59
S14	92	S13 and (root with (zero or "0"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:12
S15	51	S14 and (root with (assign\$2 or equal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:45
S16	0	"6477280".pn. and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:46
S17	2	"6477280".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:47
S18	1	"6477280".pn. and local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:47
S19	1	S18 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:47
S20	1	S19 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:49

EAST Search History

S21	5	L21a nd length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:49
S22	1	S20 and length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:52
S23	181	tree and ((node or local) adj identifier) and concatenat\$3 and length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:00
S24	123	S23 and string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:54
S25	1	S24 and (concatenat\$ with length with string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:54
S26	54	S24 and (concatenat\$ with (length or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 09:54
S27	651	tree and ((node or local) adj identifier) and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:02
S28	149	S27 and (root with (zero or "0"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:04

EAST Search History

S29	0	S27 and Nasir	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:03
S30	1	S27 and Nasr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:03
S31	11	Nasr and (root with (zero or "0"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:35
S32	1	"20040133590".pn. and between	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:46
S33	0	"20040010752.pn.and" concatenation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 10:47
S34	1	"20040010752".pn. and concatenation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 11:37
S35	196	tree and node\$1 (identifier with concatenation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 11:46
S36	23	S35 and (concatenation with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 11:37

EAST Search History

S37	387	(generat\$3 with identifier\$1) same concatenat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 11:48
S38	21	S37 and (concatenat\$3 with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 11:48
S39	12	S38 and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:10
S40	23206	((consecutive OR continuous\$2 OR sequent\$7 OR serial\$2 OR subsequent\$2 OR subsequential OR succedent\$2 OR succeeding OR successive\$2) same assign\$3) and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:13
S41	1187	S40 and tree and (identifier with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:14
S42	290	S41 and (value with even)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:14
S43	106	S42 and (even near2 value)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:15
S44	106	S42 and (even near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:17

EAST Search History

S45	40	S44 and (value near2 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:15
S46	27	S45 and (value with length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:15
S47	59	S42 and (even adj2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:17
S48	23	S47 and (value near2 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 12:19
S49	14	S48 and left and right and child	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 13:55
S50	225	node and caret\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 13:58
S51	77	S50 and arbitrary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 13:57
S52	0	S50 and (arbitrary near2 insert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 13:57

EAST Search History

S53	3	S50 and (arbitrary with insert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 13:58
S54	174	S50 and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 14:00
S55	112	S54 and encod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 14:19
S56	5	S55 and (node near2 identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:38
S57	154	(determin\$3 with node) same (parent with sibling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:39
S58	3	((determin\$3 with node) same (parent with sibling) same insert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:41
S59	41	((determin\$3 with node) same (parent with sibling) and insert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:46
S60	4353	(insert\$3 between siblings)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:46

EAST Search History

S61	13	S60 and (determine with (string near2 length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:48
S62	140	S60 and (node adj2 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:49
S63	9	S62 and (identifier near2 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:57
S64	1951	(identifier near2 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 15:57
S65	0	S64 and ("greater than" OR "equal to" OR "less than")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:00
S66	0	(node near2 identifier) and ("greater than" OR "equal to" OR "less than")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:01
S67	0	(identifier) and ("greater than" OR "equal to" OR "less than")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:01
S68	12	(identifier) and ("greater than") OR ("equal to") OR ("less than")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:02

EAST Search History

S69	12	node and ("greater than") OR ("equal to") OR ("less than")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:02
S70	12	(node and ("greater than") OR ("equal to") OR ("less than"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:03
S71	0	(node and (("greater than") OR ("equal to") OR ("less than")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:03
S72	0	node and (("greater than") OR ("equal to") OR ("less than"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/29 16:03
S73	24	(extend\$3 with length) and (local adj2 identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:14
S74	2	"6563441".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:17
S75	2	"6539369".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:31
S76	0	"6539369".pn. and (address with length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:30

EAST Search History

S77	1	"6539369".pn. and length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:35
S78	38	(variable near2 length near2 binary near2 string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:38
S79	6	S78 and (node with identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 08:39
S80	6	S79 and encod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:11
S81	4759	encod\$3 and (exten\$4 adj2 (mechanism or method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:16
S82	2935	encod\$3 and (exten\$4 adj (mechanism or method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:17
S83	177	S82 and ((base or initial) adj length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:31
S84	2	S83 and (binary adj string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:27

EAST Search History

S85	24	S83 and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:28
S86	29	S83 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:29
S87	117	S83 and (xml or IP or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:31
S88	126	S83 and (xml or address or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 10:44
S89	2	"20060004858".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/11 10:22
S90	2	"20030110150".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 13:48
S91	12	("0145545" "5883589" "6313766" "6539369" "6563441" "6587057"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 13:48
S92	1	S91 and binary adj string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 13:49

EAST Search History

S93	1	S91 and (binary adj string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/06 13:50
S94	2	"6889226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 09:23
S95	1	"6263332".pn. and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 09:45
S96	2	"20020120679".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 14:31
S97	0	"20020120679".pn. and advant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 14:32
S98	0	"20020120679".pn. provide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 14:32
S99	2	"20020120679".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 14:32
S10 0	1	"6889226".pn. and even	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/11 07:53